



ASSAULT

INDUSTRIES



INSTALLATION INSTRUCTIONS

CBS-P-RZR1K-001-01: ADVENTURE RACK POLARIS RZR

- ⚠ MAKE SURE THE MODEL ON THE INSTRUCTION SHEET MATCHES YOUR VEHICLE.
- ⚠ DO NOT DISCARD PACKAGING UNTIL PRODUCT HAS BEEN SUCCESSFULLY INSTALLED.

- ⚠ BE SURE TO READ ALL INSTRUCTIONS AND ILLUSTRATIONS BEFORE STARTING.



Rack




"Y" Tie Down Strap



Gas Struts
(2pcs)



Front Brackets
(2pcs ea.)



Rack Brackets
(2pcs ea.)



10mm
Ball
Stud
(4pcs)




5/16
Flat
Washer
(4pcs)



5/16
Nylock
Nut
(4pcs)




1/2x2
Socket
Shoulder
(2pcs)




3/8-16
Nylock
Nut
(2pcs)



1/2x1.25
Derlin
Washer
(4pcs)



3/8
Nylock
(2pcs)



3/8
washer
(2pcs)



M6
Socket
FT
(12pcs)



M6
Nylock
Nut
(12pcs)



M6
Button
Head
(4pcs)




M6
Nylock
Nut
(4pcs)



M10x55
Hex
Flanged
(4pcs)



M10
Nylock
Nut
(4pcs)



Rotary
Push-Close
Latch
(4pcs)



Latch
Striker
pin
(2pcs)



Bracket
Cage
Spacer
(2pcs)


ASSAULT INDUSTRIES // 2753 MICHIGAN ROAD // MADISON, IN 47250

ASSAULTIND.COM

FROM THE TOOLBOX

- | | |
|--------------------------------|-------------------------|
| ▲ 10, 11, 12, 14, 15MM SOCKETS | ▲ FLATHEAD SCREW DRIVER |
| ▲ 2, 4, 5, 6MM HEX KEYS | ▲ TORQUE WRENCH |
| ▲ 10, 11, 14, 15MM WRENCHES | ▲ BFH |

Product Overview



ITEM	DESCRIPTION	ITEM	DESCRIPTION
Item#1	Rack Assembly	Item#6	Striker Mount (rack side)
Item#2	Cage Pivot Mount	Item#7	EZ-Lift Gas Shock
Item#3	Rack Pivot Mount	Item#8	EZ-Lift Shock Mount (rack side)
Item#4	Striker Bracket	Item#9	Latch Assembly
Item#5	Strap Loops	Item#10	Strapping kit




FIG.1

1. First, Set the Adventure Rack on a flat surface and begin installing the rack pivot mount, using the supplied plastic washers. (Fig. 1) The washers should be placed on the inside where between the pivot mount and rack. This step requires 2 shoulder screws with 6mm hex cap and 15mm nylon lock nut. Note: Do not install the EZ-lift ball socket studs in this step.
2. Assemble the striker bracket and latch as pictured in (Fig. 2). The nylon lock nuts should be installed facing out. This step requires a 4mm hex key and 11mm wrench or socket. Note: Do not install the EZ-lift ball socket studs in this step.
3. Place the rack on the cage and attach the pivot caps with nuts and bolts. Finger tighten for now.
4. Remove the 2 rear bolts from the cage on each side and install the striker brackets. This step requires a 15mm wrench or socket. Use a torque wrench to snug bolts to 30ft lbs.



5. Align the rack with the striker bracket at the desired rear height to see where the striker bolt needs to be positioned. Once at the desired position, tighten the pivot mount cap bolts (Fig. 3). A 5mm hex key and 10mm wrench is required for this step. Note: A wrench must be used as a socket will not fit on all bolt heads.
6. Install the striker bolt in the position noted in step 4 on each side of the rack. Test fit the striker into the latch before tightening completely. This step requires a 14mm and 15mm wrench and/or socket.
7. Install the EZ lift gas shock ball socket studs (Fig. 2) on the striker bracket and rack. Mount position can be adjusted forward or backward on the rack for desired height. Thread locker can be used on this step.
8. Double check all bolts for proper tightness. Test latches to ensure proper release. If everything is working correctly, your adventure rack is ready to use!

Note: The EZ lift shocks are meant to assist in raising the rack. With weight it may not lift on its own, but should stay up when extended fully.




FIG.2

MAKE SURE THAT ALL BOLTS AND NUTS ARE TORQUED TO FACTORY SPECIFICATIONS AND ARE SECURE. PLEASE CONTACT ASSAULT INDUSTRIES FOR QUESTIONS REGARDING SPECIFICATIONS OR ANY OTHER QUESTIONS YOU MAY HAVE. THANKS!



Liability Statement

Assault Industries® products are designed to best fit user's ATV/UTV under stock conditions. Adding, modifying, or fabricating any factory or aftermarket parts will void any warranty provided by Assault Industries® and is not recommended. Assault Industries® products could interfere with other aftermarket accessories. If user has aftermarket products on machine, contact Assault Industries® to verify that they will work together.

Although Assault Industries® has thousands of satisfied customers, user should be aware that installing lift kits, long travel, or suspension kits, tires, etc. will change the ride of machine and may increase maintenance and part wear. Operating any off-road machine while, or after, consuming alcohol and/or drugs increases risk of bodily harm or death. No warranty or representation is made as to this product's ability to protect user from severe injury or death. Assault Industries® urges operators and occupants to wear a helmet and appropriate riding gear at all times.

By purchasing and installing Assault Industries® products, user agrees that should damages occur, Assault Industries® will not be held responsible for loss of time, use, labor fees, replacement parts, or freight charges. Assault Industries®, nor any 3rd party, will not be held responsible for any direct, indirect, incidental, special, or consequential damages that result from any product purchased from Assault Industries®. The total liability of seller to user for all damages, losses, and causes of action, if any, shall not exceed the total purchase price paid for the product that gave rise to the claim.

Assault Industries® will warranty only parts provided by Assault Industries®. Any damage or problems with OEM housings, bearings, seals, or other manufacturers' products will not be covered by Assault Industries®. Assault Industries® parts and products are not warranted if item was not installed properly, misused, or modified.

Installing, adding, modifying, or fabricating any factory or aftermarket product to your ATV/UTV may violate certain local, state, and federal laws. Be advised that laws vary depending on town, city, county, state, etc. Use of certain products on public streets, roads, or highways may be in violation law. The Buyer is solely and exclusively legally and personally responsible for any violation of the law by the installation or use of the product. You must abide by all local, state, and federal laws, including but not limited to vehicle safety, traffic laws, and ordinances. It is your responsibility to know the laws and how they apply to you.

The Buyer is responsible to fully understand the capability and limitations of his/her vehicle according to manufacturer specifications, warnings and instructions and agrees to hold Assault Industries® harmless from any damage resulting from failure to adhere to such specifications, warnings and/or instructions. The Buyer is also responsible to obey all applicable federal, state, and local laws and ordinances when operating his/her vehicle while using this product, and the Buyer agrees to hold Assault Industries® harmless from any violation thereof.

LEAVE US FEEDBACK

Visit Assaultind.com and leave a review of your product purchase.
We appreciate your opinion.....
.....even if you're wrong! 😊

NEED ADDITIONAL HELP?

Check out our YouTube channel
Call us : (714) 799-6711
Monday - Friday: 8am-5pm
Email: sales@assaultind.com